



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Serial No.: 10/754,127

Filing Date: January 9, 2004

Applicant: McCreery

Entitled: CHEMICAL MONOLAYER FIELD EMITTER DEVICE

Art Unit: 2822

Examiner: Amir Zarabian

Docket No.: OSU1159-141K

Mail Stop ISSUE FEE
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

CERTIFICATE OF MAILING UNDER 37 C.F.R. §1.8

Date of Deposit: February 14, 2006

I hereby certify that this correspondence is being deposited with the U.S. Postal Service as U.S. First Class Mail in an envelope addressed to Mail Stop ISSUE FEE, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

Trisha M. Beachy-Bryant
Trisha M. Beachy-Bryant, Paralegal

Sir:

RESPONSE TO NOTICE OF DRAWING INCONSISTENCY WITH SPECIFICATION

In response to the Notice of Drawing Inconsistency with Specification mailed January 25, 2006, the Applicant submits Replacement Sheets for Figure 1 and Figure 1A, which were previously labeled Figure 1A and Figure 1B, respectively. These Replacement Sheets are consistent with the written specification.

The Applicant notes that according to a telephone conversation that Mrs. Trisha M. Beachy-Bryant, a Paralegal at our firm, had with Examiner Matthew Hodges on September 16, 2005, Examiner Hodges accepted the drawings filed January 9, 2004 with

the application. Therefore, the Applicant respectfully submits that the present application is properly in condition for issuance.

Telephone inquiry to the undersigned in order to clarify or otherwise expedite prosecution of the subject application is respectfully encouraged.

Respectfully submitted,

Date: 2-14-06

By: Michael Stonebrook
Michael Stonebrook
Registration No.: 53,851
Standley Law Group LLP
495 Metro Place South, Suite 210
Dublin, Ohio 43017-5315
Telephone: (614) 792-5555
Facsimile: (614) 792-5536